


BELA TAPE RGBWW

Flexible,
cuttable and dimmable tape.
Pre-wired tape, simple and
quick installation.
Easy to mount on smooth
surfaces thanks to high quality
3M tape at the back.

One BIN Only to ensure perfect
color consistency






BELA TAPE RGBWW

- With 5-in-1 5050 LED(RGB+Tunable white2400K-6500K),60leds/m and a width of 12mm.
- To provide with richer tones that were impossible to achieve before with a single strip.
- To create any color temperature of white light between 2700K and 6000K
- High lumen and fancy looking by the unique design.
- Long lifespan and excellent in heat dissipation.
- One BIN Only to ensure perfect color consistency.

Product Benefits:

- Flexible, cuttable and dimmable LED strip.
- Easy to mount on smooth surfaces thanks to high quality 3M tape at the back.
- Pre-wired LED strip, simple and quick connection.




Electrical data

Voltage	DC24V (23.5V _{min} 24.5V _{max})
LED PIN Temperature	Max. 60.9°C /141.6°F
Storage Temperature	-25°C /-13°F _{min} 60°C /140°F _{max}
Lumen Efficiency	65lm/w(4000K)
Color	RGB
Ra	Ra90; Ra80 optional
Max Current/LED	30mA
Unit Cut	50mm
Waterproof Rate	IP20
Warranty	5 Years



CCT	LM/Mtr	Max. Watt	Max.Run Length
R	89	3.8	5
G	240	3.8	5
B	63	3.8	5
W24	399	3.8	5
W65	480	3.8	5
RGBWW2465	1251	19.2	5



Important notice

-The given data are typical values due to the tolerances of the production process and the electrical components, values for light output and electrical power can vary up to 10%.



Order code


SERIES NAME	COLOR	LENGTH	POWER
BELA TAPE RGBWW	RGBWW=RGB+2400K+6500K	05000=5M/196.85"	192=19.2W

Eg1:
BELA TAPE RGBWW-05000-192:
BELA TAPE RGBWW(WW=2400K-6500K), 5M/reel, 19.2W/m.

Accessories

Art.#	Description	Picture	Art.#	Description	Picture
C0015	Connector for Strip to strip connection, IP20tion.		T0001	VHB 3M adhesive tape	
C0016	Connector for Strip to cable connection, IP20		XLG-150-24-A	PSU 24V/150W IP67, Non-dimmable, White, 100-305V supply	
MF010	Male and Female connector, IP20		ELG-150-24B	PSU 24V/150W IP67, 3 in 1 dimming function, White, 100-305V supply	
MF011	Male and Female DC connector, IP44		ELG-150-24DA	PSU 24V/150W IP67, DALI control technology, White, 100-305V supply	

Wiring connection




Application



Where to use the product?

BELA TAPE RGBWW can provide you with countless color possibilities. It can bring you fantastic lighting effects for almost all indoor applications, effectively and elegantly highlighting certain areas with charming color lighting and bringing your project to light. Its excellent flexibility and cuttability offer many possibilities and great freedom of design.

This is an awesome product for decorative purposes. You can use it in nightclubs, entertainment venues, stage, game machine application, try it please and bring color to your projects.



Beamever

Address: 100 N Howard St Ste R,
Spokane, WA, 99201-0508 USA
Tel: 323-5104660
info@beamever.com
www.beamever.com