


NOVA TAPE DTW

Flexible,
cuttable and dimmable tape.
Pre-wired tape, simple and
quick installation.
Easy to mount on smooth
surfaces thanks to high quality
3M tape at the back.

One BIN Only to ensure perfect
color consistency






NOVA TAPE DTW

- With 120 high quality 2835 LEDs per meter and a width of 10mm/0.39".
- High lumen and energy saving.
- Free to dim the colors smoothly from 2100K to 3500K.
- Long lifespan and excellent in heat dissipation.
- Use SDCM3 2835 LEDs in One BIN Only to ensure perfect color consistency.



Product Benefits:

- Flexible, cuttable and dimmable LED strip.
- Easy to mount on smooth surfaces thanks to high quality 3M tape at the back.
- Pre-wired LED strip, simple and quick connection.



Electrical data

Voltage	DC24V (23.5V _{min} 24.5V _{max})
LED PIN Temperature	Max. 65°C /149°F
Storage Temperature	-25°C /-13°F _{min} 60°C /140°F _{max}
SMD Type	2835
LEDs/m	120LEDs/m
Efficacy (lm/W)	105lm/W
Color	2100-3500K
CRI	Ra80
Max Current/LED	30mA
Cut Increments	100mm/3.94"
Waterproof Rate	IP20
Warranty	5 Years



CCT	Lumen/ft	Max. Watt (W/ft)	Max. Run Length (ft)
Dim to Warm 2100-3500K	MAX Lumen 460	4.39	16.40

Important notice

-The given data are typical values due to the tolerances of the production process and the electrical components, values for light output and electrical power can vary up to 10%.

Order code


SERIES NAME	COLOR	LENGTH	POWER
NOVA TAPE DTW	2135=2100K~3500K	3.94"-1968.50"	439=4.39W

Example 1:
NOVA TAPE DTW-2135-196.85-439:
NOVA TAPE DTW, 2100K~3500K,
196.85"/reel, 4.39W/ft.

Accessories

Art.#	Description	Picture	Art.#	Description	Picture
MF001	Male and Female connector, IP20		XLG-150-24-A	PSU 24V/150W IP67, Non-dimmable, White, 100-305V supply	
MF002	Male and Female DC connector, IP44		ELG-150-24B	PSU 24V/150W IP67, 3 in 1 dimming function, White, 100-305V supply	
T0001	VHB 3M adhesive tape		ELG-150-24DA	PSU 24V/150W IP67, DALI control technology, White, 100-305V supply	

Wiring connection



Application



Where to use the product?

NOVA TAPE DTW an energy-saving product with homogeneous luminance. Free to dim, One Bin Only, and CRI90, and everything to service your projects better in the long run. It will always illuminate with brilliance.

Applications used by lighting designers include interior hotel decoration, residential, offices and meeting room, or inside of storefronts such as Starbucks. NOVA aims to service your projects in a long-term, professional, gorgeous fashion.



DC24V

R2

R5

TC

R4

R6

R1

R2

R3

TC

R4

R6

Beamever

Address: 100 N Howard St Ste R,
Spokane, WA, 99201-0508 USA
Tel: 323-5104660
info@beamever.com
www.beamever.com