


Beamever


NOVA TAPE RGB

Dot-free, flexible,
cuttable and dimmable tape.
Pre-wired tape, simple and
quick installation.
Easy to mount on smooth
surfaces thanks to high quality
3M tape at the back.

One BIN Only to ensure perfect
color consistency



Beamever




NOVA TAPE RGB

- Almost dot-free itself, which offer you great freedom of choosing profile.
- High lumen and fancy looking by the unique design.
- To offer millions of colors using red-green-blue color mixing.
- Long lifespan and excellent in heat dissipation.
- Use COB chips in One BIN Only to ensure perfect color consistency.
- Easy to be cut and reconnected at project sites. Also, custom length is available as well.


Product Benefits:

- Flexible, cuttable and dimmable LED strip.
- Easy to mount on smooth surfaces thanks to high quality 3M tape at the back.
- Pre-wired LED strip, simple and quick connection.




Electrical data

Voltage	DC24V (23.5V _{min} 24.5V _{max})
LED PIN Temperature	Max. 65°C /149°F
Storage Temperature	-25°C /-13°F _{min} 60°C /140°F _{max}
SMD Type	COB
LEDs/m	840LEDs/m
Efficacy (lm/W)	47lm/W@RGB
Color	RGB
Max Current/LED	5.2mA
Cut Increments	50mm/1.97"
Waterproof Rate	IP20
Warranty	5 Years



CCT	Lumen/ft	Max. Watt (W/ft)	Max. Run Length (ft)
R	77	2.44	16.40
G	148	1.37	16.40
B	21	0.76	16.40
RGB	213	4.57	16.40



Important notice

-The given data are typical values due to the tolerances of the production process and the electrical components, values for light output and electrical power can vary up to 10%.



Order code


SERIES NAME	COLOR	LENGTH	POWER
NOVA TAPE RGB	RGB	1.97"-1968.50"	457=4.57W

Example 1:
NOVA TAPE RGB-196.85-457:
NOVA TAPE RGB, 196.85"/reel, 4.57W/ft.

Accessories

Art.#	Description	Picture	Art.#	Description	Picture
MF006	Male and Female connector, IP20		XLG-150-24-A	PSU 24V/150W IP67, Non-dimmable, White, 100-305V supply	
T0001	VHB 3M adhesive tape		ELG-150-24B	PSU 24V/150W IP67, 3 in 1 dimming function, White, 100-305V supply	
M6+M3-3A	RF Controller 216W DC24V, 3A*3Channel, Max 9A IP20, Support remote control		ELG-150-24DA	PSU 24V/150W IP67, DALI control technology, White, 100-305V supply	

Wiring connection



Application



Where to use the product?

NOVA TAPE RGB brings you vividly colorful, homogeneous, fantastic luminance all of the time. With super durable lifespan, supported by high-end quality. Flexible customized services offer more possibilities to explore your imagination.

NOVA can help you glamorize spaces such as interior exhibition room, more specifically a new AI product exhibit, an IKEA display room, a Google offices, Shangri-La hotels, Wanda Plaza, etc.



Beamever

Address: 100 N Howard St Ste R,
Spokane, WA, 99201-0508 USA
Tel: 323-5104660
info@beamever.com
www.beamever.com